

T estpassport Q&A



La meilleure qualité le meilleur service

<http://www.testpassport.fr>

Service de mise à jour gratuit pendant un an

Exam : **000-055**

Title : Rational Automation
Framework for WebSphere

Version : Demo

1.Which two commands can be used to add actions to Build Forge as libraries? (Choose two.)

- A. rafw
- B. rafwEnvBuild
- C. integrateToBF
- D. manageBFLibs

Answer: C,D

2.Which rafw command option lists all available actions for a given scope.?

- A. rafw -t
- B. rafw -h
- C. rafw -d
- D. rafw -l

Answer: D

3.Which rafw command option is used to get inline help for a given action?

- A. rafw -t
- B. rafw -h
- C. rafw -d
- D. rafw -l

Answer: C

4.How is additional logging and tracing for debug purposes enabled in RAFW?

- A. use the RAFW_TRACE environment variable
- B. change the source code in RAFW_HOME/product/lib/jython/Logger.py
- C. set the .level key to TRACE in the logging.properties file in RAFW_HOME
- D. change the .level key in configure.properties file in RAFW_HOME to TRACE

Answer: C

5.Which three objects must be installed on the framework server? (Choose three.)

- A. WebSphere Application Server Base
- B. Build Forge Agent
- C. RAFW
- D. Build Forge Management Console
- E. WebSphere Portal Deployment Manager

Answer: B,C,D

6.What is the purpose of the rafw -t command option?

- A. to execute an action on a target computer
- B. to list all available actions for a given scope
- C. to copy configuration data files from one scope to another in the environment tree
- D. to import configuration data from an existing cell to its cell definition in the environment tree

Answer: A

7.Which three artifacts can be created using the RAFW_EnvironmentGenerationWizard project in the

Environment wizard? (Choose three.)

- A. the RAFW collector
- B. the actual cell in WebSphere
- C. the <env>-<cell> project in Build Forge
- D. the <env>-<cell> environment in Build Forge
- E. the cell definition in RAFW_HOME/user/environments

Answer: C,D,E

8.Which two options for the integrateToBF command add actions to Build Forge as libraries? (Choose two.)

- A. createAll
- B. createUITab
- C. createLibraries
- D. createIntegrationArtifacts

Answer: A,C

9.Where is the configuration for the Build Forge integration stored?

- A. in the build forge database
- B. the configure.properties file in RAFW_HOME
- C. in the buildforge.conf file in BF_HOME/product
- D. in the buildforge.properties file in RAFW_HOME

Answer: D

10.Which property in the configure.properties file sets the location of the media directory on target systems running Linux?

- A. OS_RAFW_HOME
- B. LINUX_RAFW_HOME
- C. LINUX_MEDIA_ROOT
- D. RAFW_MEDIA_ROOT

Answer: C