

# T estpassport Q&A



---

*La meilleure qualité le meilleur service*

<http://www.testpassport.fr>

Service de mise à jour gratuit pendant un an

**Exam** : **050-832**

**Title** : **cni-networking technologies**

**Version** : **DEMO**

1. Supernetting requires a minimum of how many consecutive IP network addresses? Answer:

A.2

**Correct:A**

2. Which IPv4 address classes are reserved for specific uses and may not be assigned to hosts? (Choose two.)

- A.A
- B.B
- C.C
- D.D
- E.E

**Correct:D E**

3. What IPX routing protocol is best suited for an internetwork that contains 138 routers, multiple redundant routes that require load balancing, and three WAN links? Answer:

A.NLSP,(NETWARELINKSERVICESPROTOCOL)

**Correct:A**

4. Which two components of the TCP/IP protocol suite map to the Host-to-Host layer of the DOD model? (Choose two.)

- A.IP
- B.TCP
- C.FTP
- D.NFS
- E.UDP
- F.ARP

**Correct:B E**

5. Click on the Exhibit button. A Class B network uses the subnet mask 255.255.224.0. The network will reserve subnets of all "0's" and all "1's". What is the maximum number of available subnets? Answer:

### Binary to Decimal Conversion

Binary	1	1	1	1	1	1	1	1
Decimal	128	64	32	16	8	4	2	1

A.6

**Correct:A**

6. Select the link state routing protocols. (Choose two.)

- A.RIP
- B.LAT
- C.SNA
- D.NLSP
- E.RTMP
- F.OSPF

**Correct:D F**

7. What protocol is normally considered to be both a LAN and WAN protocol?

- A.PPP
- B.ATM
- C.X.25
- D.SLIP
- E.ISDN
- F.Frame Relay

**Correct:B**

**8.Identify the network devices associated with the Data Link layer of the OSI model. (Choose two.)**

- A.NICs
- B.routers
- C.switches
- D.gateways
- E.repeaters
- F.active hubs

**Correct:A C**

**9.What is the maximum number of bytes that can be dedicated to the station address portion of an IPv4 address? Answer:**

- A.THREE

**Correct:A**

**10.What IPX routing protocol generally uses the least bandwidth, provides the fastest routing updates, and offers scalability for large internetworks? Answer:**

- A.NLSP,(NETWARELINKSERVICESPROTOCOL)

**Correct:A**