



La meilleure qualité le meilleur service

http://www.testpassport.fr

Service de mise à jour gratuit pendant un an


Exam : 642-243

Title: Unified Contact CenterEnterprise Support Exam

Version : Demo

1.Drop


Common configuration elements occur across Cisco Contact Center Enterprise solution components. Drag and drop the Cisco Unified ICM configuration elements on the left to the matching Cisco Unified Communications Manager and IP IVR configuration elements on the right.



Green choice3---->Yellow Choice4 Green choice4---->Yellow Choice5

2.Drop

In the Cisco Unified Contract Center Enterprise Solution, "Translation Route to VRU" node in the Cisco Unified ICM Script Editor has several options that can be used for intelligent routing. Drag and drop the option on the left to its function on the right.



A formula that must evaulate to "true" for the Cisco Unified ICM to be able to use this target when the node executes
A formula that determines which of the targets is selected
The route to send the call for initial VRU processing if the target is selected
A route to send the call if this target is selected

Answer:

Green choice4---->Yellow Choice1

Green choice3---->Yellow Choice2

Green choice5---->Yellow Choice3

Green choice1---->Yellow Choice4

3.In a Cisco Unified Contact Center Enterprise system, a new agent and phone have been added to the system; however, the agent is unable to log in to the system. The agent is using the same type of phone and and has the same CTI OS desktop setup as other agents who are able to log in without issue. What are two possible causes for this issue?(Choose two.)

A.The incorrect CTIOS Server IP and Port are configured on the new agent's CTI desktop.

B.The new phone used by the agent is not associated with IVRJtapiUser.

C.A new Device Target needs to be added for the phone in the Config (for example, /devtype ipphone /DN 12345).

D.The phone has call forwarding and call waiting enabled.

E.The new phone used by the agent is not associated with PGJtapiUser.

Answer:C E

4.Refer to the exhibit. In the Cisco Unified Contact Center Enterprise solution, there are a number of different log files that are generated by different components and processes in the solution. Identify the specific process that generated the log file.

Trace: DeviceTargetPreCallind: PreLock: RTRCallKey=148408.3062 NTID: 0 dialed number=1.0200 CED= ASTID=5203

Trace: DeviceTargetPreCallInd: PostLock: RTRCallKey=148408.3062 ASTID: 5203 NTID: 0 Ext: 21186

Trace: AddPreRoutedCall: Inst. N21186 CreatedByPreCall: T PeriphCID: -1 Queue Count: 1 RouterCallKey=(148408/3062)

Trace: TelephonyDriver::ProcessCSTARoute Select: crossRefID=46863, RTRCallKey=148408.3062, label 21186 callID=50358922

A.CTI OS (Server) B.CTI OS (Client) C.JTAPI Gateway (jgw) D.UC Manager PIM (Enterprise Agent PIM) E.ICM Call Router (rtr)

Answer:D

5.Refer to the exhibit. In a Cisco Unified Contact Center Enterprise deployment, the call flow allows the caller to opt out and leave a voice-mail message for an agent team while in queue. The Cisco Unified IP IVR application "Script1.aef" is called to prompt the caller and transfer the call to voice mail. What impact does the script shown in the exhibit have on the system?

File Edit Tools Debug Window Settings Help Contact General Session Contact Call Contact Heth Contact Heth Contact Heth Contact Heth Contact Heth Contact Galo Chieck, YESNO Timeout Contact Contact Contact Galo Chieck, YESNO Timeout Coll Contact Contact <th>and a second second</th> <th>ner Response Sol</th> <th></th> <th></th> <th></th> <th></th>	and a second	ner Response Sol				
Session Session Cortact Stati Call Contact Accept (-Triggering Contact) Http Contact Pay Prompt (-Triggering Contact) User Prompt Carannar Successful Check YesNo Cotmax Check User Successful Cotmax Check Cotmax Check Document Check Java Check Visual Check Wate Check Mare Type Value Attributes Mare Type Value Attributes Mare Type Value Attributes				• • • • • •		
Name Type Value Attributes YesNo String "N" mEXT String "" Parameter	Session Contact Call Contact Call Contact Call Contact Mail Cont Media Session Media Grammar Document Document Document Document Document	act tact act	Start Accept (Triggeri vmXFER_PROMF Play Prompt (Trig YesNo = Get Digit '''' '''' '''' ''''' ''''' ''''' '''''	рт: Igering Contact, vmXFER) String (Triggering Contact) ECK_YESNO (FER_PROMPT (FER_PROMPT Then act (Triggering Contact to vmE essful	хт)	_B×
YesNo String "N" vmEXT String "" Parameter		1				
/mEXT String "" Parameter			and a second	Attributes		
rarameter String				Bassie		
VMXFER Prompt P[] Parameter			0.612			
	(mXFER	Prompt	P[]	Parameter		

A.Calls that are sent to voice mail from the Cisco Unified IP IVR script will appear as "Abandoned" in the Cisco Unified CCE Call Type reporting.

B.Calls that are sent to voice mail from the Cisco Unified IP IVR script will appear as "Transferred Out" in the Cisco Unified CCE Call Type reporting.

C.Calls that are sent to voice mail from the Cisco Unified IP IVR script will appear as "Handled" in the Cisco Unified CCE Call Type reporting.

D.All calls that are sent to this script will be sent to the vmEXT using the Call Redirect step.

E.Callers will remain in queue after they leave the voice-mail message.

Answer:A