

# T estpassport Q&A



---

*La meilleure qualité le meilleur service*

<http://www.testpassport.fr>

Service de mise à jour gratuit pendant un an

**Exam : 650-155**

**Title : ISIWS Cisco IronPort  
Security Instructor – Web  
Security**

**Version : Demo**

1.Which of the following commands is used to view the cache hit rate? Select exactly 1 answer(s) from the following:

- A. proxystat
- B. proxyconfig
- C. advancedproxyconfig
- D. webcache









**Answer: A**

2.DRAG DROP

Match the HTTP response code with the meaning or use.?

used when the WSA returns EUNs	
proxy authentication request	
web server authentication request	
page not found	

 Select	 Deselect		401
 Select	 Deselect		403
 Select	 Deselect		404
 Select	 Deselect		407

**Answer:**

used when the	403	A returns EUNs
proxy auth	407	tion request
web server au	401	cation request
page	404	found

<input type="button" value="Select"/> <input type="button" value="Deselect"/>	401
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	403
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	404
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	407

3.Which of the following S-Series CLI commands can help troubleshoot WCCP?

Select exactly 1 answer(s) from the following:

- A. weep debug enable
- B. tail proxylogs
- C. tail accesslogs
- D. show weep

**Answer: B**

4.DRAG DROP

Match the port number to the use on the S-Series.

<p>This port is used for an HTTP connection to the administrative interface.</p> <p>Traffic from the client to this port will be handled by the HTTP proxy.</p> <p>Traffic from the client to this port will be handled by the HTTPS proxy.</p> <p>This port is used for an HTTPS connection to the administrative interface.</p>	
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	80
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	443
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	8080
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	8443

**Answer:**

<p>This port is used for an HTTP connection to the administrative interface.</p> <p>Traffic from the client to this port will be handled by the HTTP proxy.</p> <p>Traffic from the client to this port will be handled by the HTTPS proxy.</p> <p>This port is used for an HTTPS connection to the administrative interface.</p>	
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	80
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	443
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	8080
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	8443

5.Which of the following is a draw-back in using McAfee heuristic scanning?

Select exactly 1 answer(s) from the following:

- A. Heuristic scanning increases the probability of false positives.
- B. Heuristic scanning increases the probability of false negatives.
- C. Heuristic scanning cannot detect new malware with unknown signature.
- D. Heuristic scanning requires a separate license key.

**Answer: A**

6.For access policies, by default sites with Web reputation scores from what value through 10 are bypass malware scanning? Select exactly 1 answer(s) from the following:

- A. 0
- B. 3
- C. 6
- D. 9

**Answer: C**

7.What is the S-Series Proxy Bypass List?

Select exactly 1 answer(s) from the following:

- A. a list of proxy servers to be bypassed
- B. a list of clients and destinations that will bypass the proxy in explicit forward mode
- C. a list of user agents exempt from authentication
- D. a list of clients and destinations that will bypass the proxy in transparent mode

**Answer: D**

8.What parameter used by the WSA to distinguish between WCCP services?

Select exactly 1 answer(s) from the following:

- A. service ID
- B. forwarding method
- C. port number
- D. return method

**Answer: A**

9.What WSA CLI command can be used to search for a string in a log?

Select exactly 1 answer(s) from the following:

- A. find
- B. logview
- C. logsearch
- D. grep

**Answer: D**

10.You see the code TCP\_MISS in the access log. What does this mean?

Select exactly 1 answer(s) from the following:

- A. The requested object was fetched from the WSA disk cache.
- B. The requested object was fetched from the WSA memory cache.
- C. The requested object was fetched from the remote server.

- D. The requested object was fetched from the browser cache.
- E. The requested object was not found on the remote server.

**Answer: C**

11.In the access Log, you see an ACL tag beginning with BLOCK\_ADMIN. What might be the cause?  
Select exactly 1 answer(s) from the following:

- A. The destination was manually added to the block list.
- B. The transaction was manually blocked by the admin user.
- C. The malware category is set to blocking mode.
- D. The transaction was blocked because of object properties.

**Answer: D**

12.What are PAC files used for?

Select exactly 1 answer(s) from the following:

- A. transparent mode proxy deployments
- B. user-agent based policies
- C. L4TM
- D. explicit forward mode proxy deployments

**Answer: D**

13.DRAG DROP

Match the troubleshooting tool with one of its features or requirements.

<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">must create a password</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">may include a file size, but does not have to</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">must include file size limit</div> <div style="border: 1px solid black; padding: 5px;">may check for clock skew</div>		
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Select"/> <input type="button" value="Deselect"/> </div>		Policy Trace tool
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Select"/> <input type="button" value="Deselect"/> </div>		authentication test tool
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Select"/> <input type="button" value="Deselect"/> </div>		package capture tool
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <input type="button" value="Select"/> <input type="button" value="Deselect"/> </div>		remote access tool

**Answer:**

<input type="checkbox"/> Policy Trace tool	<input type="checkbox"/>
<input type="checkbox"/> may include authentication test tool	<input type="checkbox"/> not have to
<input type="checkbox"/> package capture tool	<input type="checkbox"/> mit
<input type="checkbox"/> remote access tool	<input type="checkbox"/> w

<input type="button" value="Select"/> <input type="button" value="Deselect"/>	<input type="checkbox"/> Policy Trace tool
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	<input type="checkbox"/> authentication test tool
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	<input type="checkbox"/> package capture tool
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	<input type="checkbox"/> remote access tool

14. When can the user agent field be used to determine the decryption policy?

Select exactly 1 answer(s) from the following:

- A. only in explicit forward proxy mode
- B. always
- C. never
- D. only in transparent proxy mode

**Answer: B**

15. The appearance of the ACL tag BLOCK\_WBRS in the access log means what?

Select exactly 1 answer(s) from the following:

- A. The proxy blocked access to a site with low reputation score.
- B. Your appliance or the WBRS key is out of support.
- C. The proxy blocked an outbound request because the client is infected with malware.
- D. The proxy blocked access to a site because of a suspicious server response.

**Answer: A**