

T estpassport Q&A



La meilleure qualité le meilleur service

<http://www.testpassport.fr>

Service de mise à jour gratuit pendant un an

Exam : **7498X**

Title : Avaya Oceanalytics insights
Integration and Support

Version : DEMO

1.After running the installation script for Avaya software on the Analytics™ DB server, which log file must be checked to confirm that the installation is successful?

- A. db_install.log
- B. install_oracle_db.log
- C. Oracle_install_db.log
- D. install_db.log

Answer: A

Explanation:

Reference: <https://downloads.avaya.com/css/P8/documents/101051617> (64)

2.Which script is used to install Analytics Service and with which user must you run this script?

- A. root, ./install_analytics_service.sh
- B. oracle, ./install_Analytics_Service.sh
- C. oracle, ./install_analytics_service.sh
- D. root, ./analytics_service.sh

Answer: A

Explanation:

Reference: <https://downloads.avaya.com/css/P8/documents/101051617> (67)

3.A customer wants to debug the logs files for the Oracle Component Installation on Avaya Analytics™ Database Servers.

Which directory location in the servers contain the log files for troubleshooting Oracle Component Installation?

- A. /home/oracle/app/oralInventory/logs
- B. /home/oracle/oralInventory/logs
- C. /var/home/oracle/app/logs
- D. /home/InstallFiles/avaya

Answer: B

Explanation:

Reference: <https://downloads.avaya.com/css/P8/documents/101051617>

4.To confirm that there are no errors preventing the OSA server from running successfully, which three log files can the customer review after installing the OSA Server? (Choose three.)

- A. AdminData.log – Monitor for Admin data PUMPUP events.
- B. AvayaAnalytics_InputAdaptor.log – Monitor for UCM data PUMPUP events.
- C. AvayaAnalytics_AdminData.log – Monitor for Admin data PUMPUP events.
- D. Server.log – Monitor for Application Errors.
- E. InputAdaptor.log – Monitor for UCM data PUMPUP events.

Answer: BCD

5.Refer to the exhibit.

Applicati...

Deployed Applications

| | Name | State |
|-----------------------|---|---------|
| <input type="radio"/> | routingpointmeasuresmovingwindow.RoutingPointMVMeasures | RUNNING |
| <input type="radio"/> | IntervalController.IntervalController | RUNNING |
| <input type="radio"/> | routingervicebyagent.RoutingServiceByAgent | RUNNING |
| <input type="radio"/> | agentbyaccount.AgentByAccount | RUNNING |
| <input type="radio"/> | agentbyaccountmovingwindow.AgentByAccountMeasures | RUNNING |
| <input type="radio"/> | AgentMeasures.Project1 | RUNNING |
| <input type="radio"/> | agentbyroutingmovingwindow.AgentByRoutingMeasures | RUNNING |
| <input type="radio"/> | RoutingPointMeasures.RoutingPoint | RUNNING |
| <input type="radio"/> | snmp.snmp | RUNNING |
| <input type="radio"/> | com.bea.wievs.dataservices | RUNNING |
| <input type="radio"/> | routingsevicesmeasuresmovingwindow.RoutingServiceMeasures | RUNNING |
| <input type="radio"/> | ContactDetailApp.ContactDetailProj | RUNNING |
| <input type="radio"/> | admindata.admindata | RUNNING |
| <input type="radio"/> | sitemeasuresmovingwindow.SiteMVMeasures | RUNNING |
| <input type="radio"/> | RoutingServiceMeasures.RoutingService | RUNNING |
| <input type="radio"/> | agentgroup.AgentGroup | RUNNING |
| <input type="radio"/> | agenttimeinstate.AgentTimeInStateMeasures | RUNNING |
| <input type="radio"/> | OceanalInputAdaptor.RefInputAdaptor | RUNNING |
| <input type="radio"/> | agentmovingwindow.AgentMeasures | RUNNING |

How many total applications must be in RUNNING state after successful installation of the Avaya Oceanalytics OSA server?

- A. 18
- B. 16
- C. 20
- D. 23

Answer: C