

T estpassport Q&A



La meilleure qualité le meilleur service

<http://www.testpassport.fr>

Service de mise à jour gratuit pendant un an

Exam : A00-251

Title : Administering SAS Viya 3.5

Version : DEMO

1.Where would you set or change the shared vault location"?

- A. using CLI: sas-admin backup configuration
- B. using CLI: sas-admin backup update
- C. in SAS Environment Manager Configuration backup-agent configuration
- D. in SAS Environment Manager Configuration Backup service configuration

Answer: B

2.HOTSPOT

(**Note: This is an interactive item follow the instructions to answer the question Scroll bars may appear if the window is too small You may click anywhere on the exhibit Your answer choice will be marked with 0 plus sign (+). You can relocate the plus sign to change your answer.)

Click on the row of the identity that is not known to the Identities microservice.

| View Authorization | | | | | | | | | | | | |
|----------------------------------------------------------|------|--------|--------|--------|-----|--------|---------------|-----------------|-----------------|-----------------|--------------|-----------------|
| <input type="checkbox"/> Show horizontal column headings | | | | | | | | | | | | |
| Principal | Read | Update | Delete | Secure | Add | Remove | Read (convey) | Update (convey) | Delete (convey) | Secure (convey) | Add (convey) | Remove (convey) |
| Authenticated Users | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ |
| Marketing | ✓ + | ✗ | ✗ | ✗ | ✓ + | ✓ + | ✓ + | ✓ + | ✓ + | ✗ | ✓ + | ✓ + |
| SAS Administrators | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ |
| Christine | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Jerry | ✓ + | ✗ | ✗ | ✗ | ✗ | ✗ | ✓ + | ✗ | ✗ | ✗ | ✗ | ✗ |

Answer:

| View Authorization | | | | | | | | | | | | |
|----------------------------------------------------------|------|--------|--------|--------|-----|--------|---------------|-----------------|-----------------|-----------------|--------------|-----------------|
| <input type="checkbox"/> Show horizontal column headings | | | | | | | | | | | | |
| Principal | Read | Update | Delete | Secure | Add | Remove | Read (convey) | Update (convey) | Delete (convey) | Secure (convey) | Add (convey) | Remove (convey) |
| Authenticated Users | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ |
| Marketing | ✓ + | ✗ | ✗ | ✗ | ✓ + | ✓ + | ✓ + | ✓ + | ✓ + | ✗ | ✓ + | ✓ + |
| SAS Administrators | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ |
| Christine | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Jerry | ✓ + | ✗ | ✗ | ✗ | ✗ | ✗ | ✓ + | ✗ | ✗ | ✗ | ✗ | ✗ |

3.If you want to add a CAS worker to an MPP environment and apply the latest hotfixes at the same time, which playbook should you use?

- A. apply-license.yml
- B. site.yml
- C. deploy-viya.yml
- D. deploy-casworker.yml

Answer: D

4.DRAG DROP

(**Note: This is an interactive item Follow the instructions to answer the question Scroll bars may appear if the windows are too small Each window can be re-sized by dragging on the 5 circles located between windows)

Drag the server and service groups from left to right and order them from top to bottom in the order in which they should be STOPPED.

| | Answer Area | |
|------------------------------------|-------------|-------|
| SAS Infrastructure Data Servers | | FIRST |
| SAS Secrets Manager instances | | |
| SAS Message Broker instances | | |
| CAS servers | | |
| SAS Configuration Server instances | | |
| Microservices | | LAST |

Answer:

| | | Answer Area | |
|------------------------------------|--|------------------------------------|--------------|
| SAS Infrastructure Data Servers | | SAS Message Broker instances | FIRST |
| SAS Secrets Manager instances | | CAS servers | |
| SAS Message Broker instances | | SAS Secrets Manager instances | |
| CAS servers | | SAS Infrastructure Data Servers | |
| SAS Configuration Server instances | | Microservices | |
| Microservices | | SAS Configuration Server instances | LAST |

5.Which URI controls authorizations to access a content folder's descendant or children content?

- A. parent URI
- B. object URI
- C. container URI
- D. inheritance URI

Answer: A