estpassport Q&A



La meilleure qualité le meilleur service

http://www.testpassport.fr Service de mise à jour gratuit pendant un an Exam : C2140-134

Title : Rational Business

Developer

Version: Demo

| 1. Which choice is a valid stereotype for a record? |
|---|
| A. Array |
| B. CSV |
| C. ExternalType |
| D. Form |
| Answer: B |
| |
| 2. Which primitive type provides the best performance for a counter used to control a loop with maximum |
| iterations of 1000? |
| A. DECIMAL |
| B. INT |
| C. NUM |
| D. SMALLINT |
| Answer: D |
| |
| 3. One of several programs in an EGL project requires a different build descriptor option from the other |
| programs in the same project. What is the BEST way to specify the different build descriptor option? |
| A. generate the program using Generate With Wizard and override the build descriptor option in the |
| wizard |
| B. use a master build descriptor plugin.xml file to control which build descriptor part is used for each |
| program |
| C. move the program to a different project so that all programs in each project use the same default build |
| descriptor part |
| D. create a build descriptor part for the program and specify it in the EGL Default Build Descriptors for the |
| program |
| Answer: D |
| |

return to the same program?

A. show statement

4. Which EGL statement is used to send a text form to a user, receive input from the user, and always

| B. converse statement |
|---|
| C. forward statement |
| D. display statement |
| Answer: B |
| |
| 5. Which EGL statement demonstrates the correct way to initialize a dynamic array of integers so that the |
| first element has the value 3? |
| A. myArray INT =3; |
| B. myArray INT[] =3; |
| C. myArray INT[3]; |
| D. myArray INT[3] =3; |
| |

Answer: D